

CITY OF TARPON SPRINGS, FLORIDA
Development Services Department

APPROVED TREE LIST
(Section 134.03, LDC)

All trees shall be grade Florida #1 or better, in a 15 gallon pot, and have a minimum 1 and 1/2 inch diameter measured 12 inches above ground, with a minimum crown of 2 feet and a minimum height of 6 feet upon planting. The species shall come from the following list unless an alternative planting material is approved by the City staff.

(1) Native

Blackgum (<i>Nyssa sylvatica v. biflora</i>)	Oak, Live (<i>Quercus virginiana</i>)
Cypress, Bald (<i>Taxodium distichum</i>)	Oak, Shumard (<i>Quercus shumardii</i>)
Cypress, Pond (<i>Taxodium ascendens</i>)	Pine, Longleaf (<i>Pinus palustris</i>)
Florida Elm (<i>Ulmus americana v. floridana</i>)	Pine, Slash (<i>Pinus elliottii engelm</i>)
Florida Maple (<i>Acer sacharum</i>)	Red Maple (<i>Acer rubrum</i>)
Holly, American (<i>Ilex x attenuata</i>)	Redbay (<i>Persea Bobornia</i>)
Holly, Dahoon (<i>Ilex cassine</i>)	Redbud (<i>Cercis canadensis</i>)
Holly, Deciduous (<i>Ilex decidua</i>)	Southern Red Cedar (<i>Tuniperns silicicola</i>)
Holly, East Palatka (<i>Ilex opaca</i>)	Sweetbay (<i>Magnolia virginiana</i>)
Magnolia (<i>Magnolia grandflora</i>)	Sweetgum (<i>Liquidambar styraciflua</i>)
Oak, Laurel (<i>Quercus laurifolia</i>)	Sycamore (<i>Platanus occidentalis</i>)

(2) Cultivated

Camphor (<i>Cinnamomum camphora</i>)	Pecan (<i>Carvla illinoinesis</i>)
Golden Rain (<i>Koelreneria formosanon</i>)	Rosewood (<i>Dalbergia sissoo</i>)

(3) Palm trees, when used, shall be planted in groups of not less than three (3) individual plants, and shall not constitute more than 25% of the required trees.